


**DRAWING I CODE T1 Lead space 2.5mm**




Body Dia	φ 3 φ 4, φ 5, φ 6.3	(mm)
Symbol	Dimension	Tolerance
P	12.7	±1.0
P <sub>0</sub>	12.7	±0.3
P <sub>2</sub>	6.35	±1.0
F	2.5	±0.5
Δ <sub>h</sub>	0	±2.0
W	18.0	±0.5
W <sub>0</sub>	12.5	min.
W <sub>1</sub>	9.0	±0.5
W <sub>2</sub>	2.0	max.
H	18.5	±0.75
H <sub>0</sub>	16.0	±0.5
ℓ	2.0	max.
D <sub>0</sub>	4.0	0.2
t	0.7	0.5
A	11.10	max.
L	7.11	+ 10

● PACKAGING

φ D	Q'TY	BOX	REEL
3		3,000	2,000
4		2,500	1,700
5		2,000	1,300
6.3		1,500	1,000

**DRAWING II CODE TA Lead space 5mm**




Body Dia	φ 3, φ 4, φ 5, φ 6.3, φ 8	(mm)
Symbol	Dimension	Tolerance
P	12.7	±1.0
P <sub>0</sub>	12.7	±0.3
P <sub>2</sub>	6.35	±1.0
F	5.0	±0.5
Δ <sub>h</sub>	0	±2.0
W	18.0	±0.5
W <sub>0</sub>	12.5	min.
W <sub>1</sub>	9.0	±0.5
W <sub>2</sub>	2.0	max.
H	18.5	±0.75
H <sub>0</sub>	16.0	±0.5
ℓ	2.0	max.
D <sub>0</sub>	4.0	0.2
t	0.7	0.5
A	11.0	max.
L	7,11,11	+ 10

● PACKAGING

φ D	Q'TY	BOX	REEL
3		3,000	2,000
4		2,500	1,700
5		2,000	1,300
6.3		1,500	1,000
8		1,000	750

**DRAWING III CODE T2 Lead space 5mm**




PACKAGING :

Q'TY	BOX	REEL
10	500	500
13	300	-

Symbol	Dimension		Tolerance
	φ 10	φ 13	
P	12.7	15	+1
P <sub>0</sub>	12.7	15	+ 0.3
P <sub>2</sub>	6.35	7.5	+ 1.0
F	5.0	5.0	±0.5
Δ <sub>h</sub>	0	0	+ 2.0
W	18.0	18.0	+ 0.5
W <sub>0</sub>	12.5	12.5	min.
W <sub>1</sub>	9.0	9.0	+ 0.5
W <sub>2</sub>	2.0	2.0	max.
H	18.5	18.5	+ 0.75
H <sub>0</sub>	2.0	2.0	max.
ℓ	4.0	4.0	+ 0.2
D <sub>0</sub>	0.7	0.7	+ 0.5
t	11.0	11.0	max.
A	0.6	0.6	±0.05
L	12.5,16,21	21,26	+ 1.5

**DRAWING IV CODE T3 Lead space 7.5mm**




● PACKAGING :

Q'TY	BOX
16	300

\*Body Height 31.5mm Max.

Symbol	Dimension	Tolerance
	φ 16	
P	30.0	+ 1.0
P <sub>0</sub>	15.0	+ 0.3
P <sub>2</sub>	7.5	+ 1.0
F	7.5	±5.0
Δ <sub>h</sub>	0	+ 2.0
W	18.0	+ 0.5
W <sub>0</sub>	12.5	min.
W <sub>1</sub>	9.0	+ 0.5
W <sub>2</sub>	2.0	max.
H	18.5	+ 0.75
ℓ	2.0	2.0
D <sub>0</sub>	4.0	+ 0.2
t	0.7	+ 0.2
A	11.0	max.
φd	0.8	+ 0.05
L	26,31	

**DRAWING V CODE T35 Lead space 3.5mm**



**● PACKAGING**

Q'TY	BOX	REEL
8	1000	750

Symbol	Dimension	Tolerance
	φ 8	
P	12.7	+ 1.0
P <sub>0</sub>	12.7	+ 0.3
P <sub>2</sub>	6.35	+ 1.0
F	3.5	± 0.5
Δ <sub>h</sub>	0	+ 2.0
W	18.0	± 0.5
W <sub>0</sub>	12.5	min.
W <sub>1</sub>	9.0	+ 0.5
W <sub>2</sub>	2.0	max.
H	18.5	+ 0.75
ℓ	2.0	max.
φD <sub>0</sub>	4.0	+ 0.2
t	0.7	+ 0.5
A	11.0	max.
φd	0.6	± 0.05
L	12,14,16	+ 1.5

**PACKAGE & WEIGHT**

**RADIAL TYPE, BULK PACKAGE**

SEQ	DIMENSION	ONE BAG	INNER BOX	CARTON	KGS/CTN
1	3X5mm	2000 pcs	16K pcs	64 K pcs	16 Kgs
2	4mm	2000 pcs	16K pcs	64 K pcs	18 Kgs
3	5mm	1000 pcs	10 K pcs	40 K pcs	20 Kgs
4	6.3mm	1000 pcs	8 K pcs	32 K pcs	22 Kgs
5	8x5mm	1000 pcs	8 K pcs	32 K pcs	22 Kgs
6	8x12mm	1000 pcs	5 K pcs	20 K pcs	22 Kgs
7	8x14mm	1000 pcs	5 K pcs	20 K pcs	24 Kgs
8	8x16mm	1000 pcs	4 K pcs	16 K pcs	22 Kgs
9	10x12mm	500 pcs	3.5 K pcs	14 K pcs	24 Kgs
10	10x16mm	500 pcs	2.5 K pcs	10 K pcs	22 Kgs
11	10x21mm	500 pcs	2 K pcs	8 K pcs	24 Kgs
12	13x21mm	200 pcs	1.4 K pcs	5.6 K pcs	24 Kgs
13	13x26mm	200 pcs	1.2 K pcs	4.8 K pcs	24 Kgs
14	16x26mm	X	180/200 pcs	1.2/1.44 Kpcs	10/12 Kgs
15	16x31mm	X	180/200 pcs	1.08/1.2 Kpcs	10/12 Kgs
16	16x36mm	X	180/200 pcs	1.08/1.2 Kpcs	12.6/14 Kgs
17	18x36mm	X	160/200 pcs	0.96/1.2 Kpcs	12.8/16 Kgs
18	22x40mm	X	50 pcs	300 pcs	6.5 Kgs
19	25x40mm	X	50 pcs	300 pcs	6.5 Kgs

\* weight is for reference only, not accurate. Please reconfirm weight details with your sales.