

Issued: 2008-01-24 File E214561 Vol 2 Auth. Page 1 Revised: 2018-09-20

> FOLLOW-UP SERVICE PROCEDURE (TYPE R)

COMPONENT - TRANSFORMERS, CLASS 2 AND CLASS 3

(XOKV2,XOKV8)

Manufacturer: SEE ADDENDUM FOR MANUFACTURER LOCATIONS

230953 (Party Site)

Applicant: ZETTLER MAGNETICS INC

(346191-001) 75 COLUMBIA

ALISO VIEJO CA 92656-1498

230953 (Party Site)

Recognized Co.: SAME AS APPLICANT

(346191-001)

This Follow-Up Service Procedure authorizes the above Manufacturer(s) to use the marking specified by UL LLC, or any authorized licensee of UL LLC, including the UL Contracting Party, only on products when constructed, tested and found to be in compliance with the requirements of this Follow-Up Service Procedure and in accordance with the terms of the applicable service agreement with UL Contracting Party. The UL Contracting Party for Follow-Up Services is listed on addendum to this Follow-Up Service Procedure ("UL Contracting Party"). UL Contracting Party and UL LLC are referred to jointly herein as "UL."

UL further defines responsibilities, duties and requirements for both Manufacturers and UL representatives in the document titled, "UL Mark Surveillance Requirements" that can be located at the following web-site: http://www.ul.com/fus. Manufacturers without Internet access may obtain the current version of this document from their local UL customer service representative or UL field representative. For assistance, or to obtain a paper copy of this document or the Follow-Up Service Terms referenced below, please contact UL's Customer Service at http://www.ul.com/aboutul/locations/, select a location and enter your request, or call the number listed for that location.

The Applicant, the specified Manufacturer(s) and any Recognized Company in this Follow-Up Service Procedure must agree to receive Follow-Up Services from UL Contracting Party. If your applicable service agreement is a Global Services Agreement ("GSA"), the Applicant, the specified Manufacturer(s) and any Recognized Company will be bound to a Service Agreement for Follow-Up Services upon the earliest by any Subscriber of use of the prescribed UL Mark, acceptance of the factory inspection, or payment of the Follow-Up Service fees which will incorporate such GSA, this Follow-Up Service Procedure and the Follow-Up Service Terms which can be accessed by clicking here: http://services.ul.com/fus-service-terms. In all other events, Follow-Up Services will be governed by and incorporate the terms of your applicable service agreement and this Follow-Up Service Procedure.

File E214561 Vol 2 Auth. Page 2 Issued: 2008-01-24 Revised: 2018-09-20

It is the responsibility of the Recognized Company to make sure that only the products meeting the aforementioned requirements bear the authorized Marks of UL LLC, or any authorized licensee of UL LLC.

This Follow-Up Service Procedure contains information for the use of the above Manufacturer(s) and representatives of UL and is not to be used for any other purpose. It is provided to the Manufacturer with the understanding that it will be returned upon request and is not to be copied in whole or in part.

This Follow-Up Service Procedure, and any subsequent revisions, is the property of UL and is not transferable. This Follow-Up Service Procedure contains confidential information for use only by the above named Manufacturer(s) and representatives of UL and is not to be used for any other purpose. It is provided to the Subscribers with the understanding that it is not to be copied, either wholly or in part unless specifically allowed, and that it will be returned to UL, upon request.

Capitalized terms used but not defined herein have the meanings set forth in the GSA and the applicable Service Terms or any other applicable UL service agreement.

UL shall not incur any obligation or liability for any loss, expense or damages, including incidental, consequential or punitive damages arising out of or in connection with the use or reliance upon this Follow-Up Service Procedure to anyone other than the above Manufacturer(s) as provided in the agreement between UL LLC or an authorized licensee of UL LLC, including UL Contracting Party, and the Manufacturer(s).

UL LLC has signed below solely in its capacity as the accredited entity to indicate that this Follow-Up Service Procedure is in compliance with the accreditation requirements.

Bruce A. Mahrenholz Director Conformity Assessment Programs (CPO) UL LLC

Addendum To Page 1 Issued: 2008-01-24 Authorization Page Revised: 2018-09-20 File E214561 Vol 2

LOCATION

118578 (Party Site)

(129775-001) XIAMEN ZETTLER MAGNETICS CO LTD

The 2nd Fl, 3rd Fl, and East of Fourth Fl No 6 Xinjin Rd, Xinyang Industrial Zone

Haicang District

Xiamen

Fujian 361028 CHINA

Factory ID: Zettler

UL Contracting Party for above site is: UL GmbH

Vol. 2

Index

Page 1

Issued: 2008-01-24 Revised: 2015-05-27

INDEX

Model Number	Section	Report Date	Requirements Evaluated to
EI30 Series:	1	2008-01-24	USR/CNR
Class 2 Transformers:			
BV302S06006, BV302S09006, BV301S06006, BV301S09006,			
BV302S06010, BV302S09010, BV301S06010, BV301S09010,			
BV302S06015A, BV301S06015A, BV302S06015, BV302S09015,			
BV301S06015, BV301S09015, BV302S06020, BV301S06020,			
BV302S06023, BV301S06023; ST302S06006, ST302S09006			
ST301S06006, ST301S09006, ST302S06010, ST302S09010,			
ST301S06010, ST301S09010, ST302S06015, ST302S09015,			
ST302S06015A, ST301S06015, ST301S06015A, ST301S09015,			
ST302S06020, ST301S06020, ST302S06023, ST301S06023;			
XC302S06006, XC302S09006, XC301S06006, XC301S09006,			
XC302S06010, XC302S09010, XC301S06010, XC301S09010, XC302S06015A, XC301S06015A, XC302S06015, XC302S09015,			
XC301S06015, XC301S09015, XC302S06020, XC301S06020,			
XC302S06023, XC301S06023			
140000000000000000000000000000000000000			
Class 2 not wet / Class 3 wet transformers:			
BV302S10006, BV302S12006, BV302S15006,			
BV302D06006, BV302D09006, BV302S10010,			
BV302S12010, BV302S15010, BV302S18010,			
BV302D06010, BV302D09010, BV302S09015A,			
BV302S10015A, BV302S12015A, BV302S15015A,			
BV302D06015A, BV302S10015, BV302S12015,			
BV302S15015, BV302S18015, BV302D06015,			
BV302D09015, BV302S09020, BV302S10020,			
BV302S12020, BV302S15020, BV302D06020,			
BV302S09023, BV302S10023, BV302S12023,			
BV302S15023, BV302D06023, BV301S10006,			
BV301S12006, BV301S15006, BV301D06006,			
BV301D09006, BV301S10010, BV301S12010, BV301S15010, BV301S18010, BV301D06010,			
BV301S15010, BV301S18010, BV301D06010, BV301D09010, BV301S09015A, BV301S10015A,			
BV301S12015A, BV301S09015A, BV301S10015A, BV301S12015A, BV301S15015A,			
BV301S12015A, BV301S13015A, BV301D00015A,			
BV301S18015, BV301D06015, BV301D09015,			
BV301S09020, BV301S10020, BV301S12020,			
BV301S15020, BV301D06020, BV301S09023,			
BV3U1515U2U, BV3U1DU6U2U, BV3U15U9U23,			

File E214561 Vol. 2 Index Page 1A Issued: 2008-01-24 New: 2015-05-27

INDEX (Cont.)

INDEX (Cont.)		1	
		Report Date	Requirements
Model Number	Section		Evaluated to
BV301D06023;	1	2008-01-24	USR/CNR
ST302S10006, ST302S12006, ST302S15006, ST302D06006,			
ST302D09006, ST302S10010, ST302S12010, ST302S15010,			
ST302S18010, ST302D06010, ST302D09010, ST302S09015A,			
ST302S10015A, ST302S12015A, ST302S15015A, ST302D06015A,			
ST302S10015, ST302S12015, ST302S15015, ST302S18015,			
ST302D06015, ST302D09015, ST302S09020, ST302S10020,			
ST302S12020, ST302S15020, ST302D06020, ST302S09023,			
ST302S10023, ST302S12023, ST302S15023, ST302D06023,			
ST301S10006, ST301S12006, ST301S15006, ST301D06006,			
ST301D09006, ST301S10010, ST301S12010, ST301S15010,			
ST301S18010, ST301D06010, ST301D09010, ST301S09015A,			
ST301S10015A, ST301S12015A, ST301S15015A, ST301D06015A,			
ST301S10015, ST301S12015, ST301S15015, ST301S18015,			
ST301D06015, ST301D09015, ST301S09020, ST301S10020,			
ST301S12020, ST301S15020, ST301D06020, ST301S09023,			
ST301S10023, ST301S12023, ST301S15023, ST301D06023			
EI30 Series:			
Class 2 not wet / Class 3 wet transformers:			
XC302S10006, XC302S12006, XC302S15006, XC302D06006,			
XC302D09006, XC302S12000, XC302S12010, XC302S15010,			
XC302S18010, XC302D06010, XC302D09010, XC302S09015A,			
XC302S10015A, XC302S12015A, XC302S15015A,			
XC302D06015A, XC302S12015A, XC302S12015A, XC302S15015A, XC302S10015A, XC302S10015, XC302S12015, XC302S15015,			
XC302S18015, XC302D06015, XC302D09015, XC302S09020,			
XC302S10020, XC302S12020, XC302S15020, XC302D06020,			
XC302S09023, XC302S12023, XC302S12023, XC302S15023,			
XC302D06023, XC301S10006, XC301S12006, XC301S15006,			
XC301D06006, XC301D09006, XC301S10010, XC301S12010,			
XC301S15010, XC301S18010, XC301D06010, XC301D09010,			
XC301S09015A, XC301S10015A, XC301S12015A,			
XC301S15015A, XC301D06015A, XC301S12015A, XC301S12015A, XC301S12015, X			
XC301S15015A, XC301S100015A, XC301S10015, XC301S12015, XC301S15015, XC301S18015, XC301D06015, XC301D09015,			
XC301S09020, XC301S10020, XC301S12020, XC301S15020,			
XC301D06020, XC301S09023, XC301S10023, XC301S12023,			
XC301S15023, XC301D06023			
AC301313023, AC301D00023		1	

Index

Page 2

Issued: 2008-01-24 Revised: 2015-05-27

INDEX (Cont.)

Model Number	Section	Report Date	Requirements Evaluated to
EI30 Series:	1	2008-01-24	USR
Class 3 transformers: BV302S18006, BV302S24006, BV302D10006, BV302D12006, BV302S24010, BV302D10010, BV302D12010, BV302D15010,			
BV302S18015A, BV302S24015A, BV302D09015A,			
BV302D10015A, BV302D12015A, BV302S24015, BV302D10015,			
BV302D12015, BV302D15015, BV302S18020, BV302S24020, BV302D09020, BV302D10020, BV302D12020, BV302S18023,			
BV302S24023, BV302D10020, BV302D12020, BV302S18023, BV302S24023, BV302D09023, BV302D10023, BV302D12023,			
BV301S18006, BV301S24006, BV301D10006, BV301D12006,			
BV301S24010, BV301D10010, BV301D12010, BV301D15010,			
BV301S18015A, BV301S24015A, BV301D09015A,			
BV301D10015A, BV301D12015A, BV301S24015, BV301D10015, BV301D12015, BV301D15015, BV301S18020, BV301S24020,			
BV301D12013, BV301D13013, BV301S18020, BV301S24020, BV301D09020, BV301D10020, BV301D12020, BV301S18023,			
BV301S24023, BV301D10020, BV301D12020, BV301D12023;			
ST302S18006, ST302S24006, ST302D10006, ST302D12006,			
ST302S24010, ST302D10010, ST302D12010, ST302D15010,			
ST302S18015A, ST302S24015A, ST302D09015A, ST302D10015A,			
ST302D12015A, ST302S24015, ST302D10015, ST302D12015,			
ST302D15015, ST302S18020, ST302S24020, ST302D09020,			
ST302D10020, ST302D12020, ST302S18023, ST302S24023,			
ST302D09023, ST302D10023, ST302D12023, ST301S18006,			
ST301S24006, ST301D10006, ST301D12006, ST301S24010,			
ST301D10010, ST301D12010, ST301D15010, ST301S18015A, ST301S24015A, ST301D09015A, ST301D10015A,			
ST301D12015A, ST301D09015A, ST301D10015A, ST301D12015A, ST301D12015A, ST301D12015, ST301D12015,			
ST301D15015, ST301S18020, ST301D10015, ST301D09020,			
ST301D10020, ST301D12020, ST301S18023, ST301S24023,			
ST301D09023, ST301D10023, ST301D12023			
,			

Issued: 2008-01-24 Revised: 2015-07-20

INDEX (Cont.)

Model Number	Section	Report Date	Requirements Evaluated to
EI30 Series:	1	2008-01-24	USR
Class 3 transformers:			
*XC302S18006, XC302S24006, XC302D10006, XC302D12006,			
XC302S24010, XC302D10010, XC302D12010, XC302D15010,			
XC302S18015A, XC302S24015A, XC302D09015A,			
XC302D10015A, XC302D12015A, XC302S24015, XC302D10015,			
XC302D12015, XC302D15015, XC302S18020, XC302S24020,			
XC302D09020, XC302D10020, XC302D12020, XC302S18023,			
XC302S24023, XC302D09023, XC302D10023, XC302D12023,			
XC301S18006, XC301S24006, XC301D10006, XC301D12006,			
XC301S24010, XC301D10010, XC301D12010, XC301D15010,			
XC301S18015A, XC301S24015A, XC301D09015A,			
XC301D10015A, XC301D12015A, XC301S24015, XC301D10015,			
XC301D12015, XC301D15015, XC301S18020, XC301S24020,			
XC301D09020, XC301D10020, XC301D12020, XC301S18023,			
XC301S24023, XC301D09023, XC301D10023, XC301D12023			

(File in front of App. A)

APPENDIX NOTICE

Product Category: COMPONENT - TRANSFORMERS, CLASS 2, CLASS 3

CCN: XOKV2

STANDARDIZED APPENDIX PAGES ARE IN EFFECT FOR THIS CATEGORY

Reference "Standardized Appendix Pages" File Located in the Filing Department